



11 – Additional declaration/Dichiarazione aggiuntiva
SERBIA
Phytosanitary Certificate NR. CE/I **DEL/DATED**

Sluzbeni glasnik Republike Srbije 07/2010 and 22/2012

The plants fulfill the requirements:

9.

9. Plants of <i>Pinus</i> L., intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Annex III(A)(1), and requirements listed in Annex IV(A)(I)(8.1), (8.2), official statement that no symptoms of <i>Mycosphaerella dearnessii</i> (<i>Scirrhia acicola</i>) (Dearn.) Siggers or <i>Mycosphaerella pini</i> (<i>Scirrhia pini</i>) Funk and Parker have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
--	--

10.

10. Plants of <i>Abies</i> Mill., <i>Larix</i> Mill., <i>Picea</i> A. Dietr., <i>Pinus</i> L. <i>Pseudotsuga</i> Carr. and <i>Tsuga</i> Carr., intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Annex III(A)(1), and requirements listed in Annex IV(A)(I)(8.1), (8.2) or (9), where appropriate, official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
---	--

11.2b

11.2. Plants of <i>Castanea</i> Mill. and <i>Quercus</i> L., intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Annex III(A)(2) and requirements listed in Annex IV (A)(I)(11.1), official statement that: (b) no symptoms of <i>Cryphonectria parasitica</i> (Murrill) Barr have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
---	---

12

12. Plants of <i>Platanus</i> L., intended for planting, other than seeds.	Official statement that no symptoms of <i>Ceratocystis fimbriata</i> f. sp. <i>platani</i> Walter have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
---	---

13.1

13.1. Plants of <i>Populus</i> L., intended for planting, other than seeds.	Without prejudice to the prohibitions applicable to the plants listed in Annex III(A)(3), official statement that no symptoms of <i>Melampsora medusae</i> Thümen have been observed at the place of production or its immediate vicinity since the beginning of the last complete cycle of vegetation.
--	---

17.b

17. Plants of <i>Amelanchier</i> Med., <i>Chaenomeles</i> Lindl., <i>Cotoneaster</i> Ehrh., <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Eriobotrya</i> Lindl., <i>Malus</i> Mill., <i>Mespilus</i> L., <i>Photinia davidiana</i> (Dcne.) Cardot, <i>Pyracantha</i> Roem., <i>Pyrus</i> L. and <i>Sorbus</i> L., intended for planting, other than seeds	Without prejudice to the provisions applicable to the plants listed in Annex III(A)(9), (9.1), or requirement listed in Annex IV(A)(I)(15), where appropriate, official statement: (b) that the plants originate in pest free areas which have been established in relation to <i>Erwinia amylovora</i> (Burr.) Winsl. et al. in accordance with the relevant International Standard for Phytosanitary Measures
--	---

18.a

18. Plants of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, other than fruit and seeds and plants of <i>Araceae</i> , <i>Marantaceae</i> , <i>Musaceae</i> , <i>Persea</i> spp. and <i>Strelitzaceae</i> , rooted or with growing medium attached or associated	Without prejudice to the prohibition applicable to the plants listed in Annex III(A)(16), where appropriate, official statement that: (a) the plants originate in countries known to be free from <i>Radopholus citrophilus</i> Huettel et al. and <i>Radopholus similis</i> (Cobb) Thorne;
--	---

19.2

19.2. Plants of <i>Cydonia</i> Mill., <i>Fragaria</i> L., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L., <i>Ribes</i> L., <i>Rubus</i> L. intended for planting, other than seeds, originating in countries where the relevant harmful organisms are known to occur on the genera concerned.	Without prejudice to the provisions applicable to the plants where appropriate listed in Annex III (A)(9) and (18), and requirement listed in Annex IV(A)(I)(15) and (17), official statement that no symptoms of diseases caused by the relevant harmful organisms have been observed on the plants at the place of production since the beginning of the last
---	---



<p>The relevant harmful organisms are</p> <ul style="list-style-type: none">— on <i>Fragaria</i> L.: <i>Phytophthora fragariae</i> Hickman, var. <i>fragariae</i>, Arabis mosaic virus, Raspberry ring spot virus, Strawberry crinkle virus, Strawberry latent ring spot virus, Strawberry mild yellow edge virus, Tomato black ring virus, <i>Xanthomonas fragariae</i> Kennedy et King;— on <i>Malus</i> Mill.: <i>Phyllosticta solitaria</i> Ell. and Ev.;— on <i>Prunus</i> L.: Apricot chlorotic leafroll mycoplasma, <i>Xanthomonas campestris</i> pv. <i>pruni</i> (Smith) Dye;— on <i>Prunus persica</i> (L.) Batsch: <i>Pseudomonas syringae</i> pv. <i>persicae</i> (Prunier et al.) Young et al.;— on <i>Pyrus</i> L.: <i>Phyllosticta solitaria</i> Ell. and Ev.;— on <i>Rubus</i> L.: Arabis mosaic virus, Raspberry ring spot virus, Strawberry latent ring spot virus, Tomato black ring virus,— on all species: non-European viruses and virus-like organisms.	<p>complete cycle of vegetation.</p>
--	--------------------------------------

20

<p>20. Plants of <i>Cydonia</i> Mill. and <i>Pyrus</i> L. intended for planting, other than seeds, originating in countries where Pear decline mycoplasma is known to occur</p>	<p>Without prejudice to the provisions applicable to the plants listed in Annex III(A)(9), and requirements listed in Annex IV(A)(I)(15), (17) and (19.2) official statement that no symptoms of Pear decline mycoplasma have been observed at the place of production and in its immediate vicinity, within the last three complete cycles of vegetation.</p>
--	--

21.1b

<p>21.1. Plants of <i>Fragaria</i> L. intended for planting, other than seeds, originating in countries where the relevant harmful organisms are known to occur. The relevant harmful organisms are:</p> <ul style="list-style-type: none">— Strawberry latent 'C' virus,— Strawberry vein banding virus,— Strawberry witches' broom mycoplasma	<p>Without prejudice to the provisions applicable to the plants listed in Annex III(A)(18), and requirements listed in Annex IV(A)(I)(19.2), official statement that:</p> <p>(b) no symptoms of diseases caused by the relevant harmful organisms have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.</p>
--	---

21.2a

<p>21.2. Plants of <i>Fragaria</i> L. intended for planting, other than seeds, originating in countries where <i>Aphelenchoides besseyi</i> Christie is known to occur</p>	<p>Without prejudice to the provisions applicable to the plants listed in Annex III(A)(18), and requirements listed in Annex IV(A)(I)(19.2) and (21.1), official statement that:</p> <p>(a) either no symptoms of <i>Aphelenchoides besseyi</i> Christie have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation</p>
---	--

22.1b

<p>22.1. Plants of <i>Malus</i> Mill. intended for planting, other than seeds, originating in countries where the relevant harmful organisms are known to occur on <i>Malus</i> Mill The relevant harmful organisms are:</p> <ul style="list-style-type: none">— Cherry rasp leaf virus,— Tomato ring spot virus,	<p>Without prejudice to the provisions applicable to the plants, listed in Annex III(A)(9) and requirements listed in Annex IV(A)(I)(15), (17) and (19.2), official statement that:</p> <p>(b) no symptoms of diseases caused by the relevant harmful organisms have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycle of vegetation.</p>
---	---

22.2a

<p>22.2. Plants of <i>Malus</i> Mill., intended for planting, other than seeds, originating in countries where Apple proliferation mycoplasma is known to occur</p>	<p>Without prejudice to the provisions applicable to the plants, listed in Annex III(A)(9) and requirements listed in Annex IV(A)(I)(15), (17), (19.2) and (22.1), official statement that</p> <p>(a) the plants originate in areas known to be free from Apple proliferation mycoplasma.</p>
--	--

23.1b

<p>23.1. Plants of following species of <i>Prunus</i> L., intended for planting, other than seeds, originating in countries where Plum pox virus is known to occur:</p> <ul style="list-style-type: none">- <i>Prunus amygdalus</i> Batsch, <i>Prunus armeniaca</i> L., <i>Prunus blireiana</i> Andre, <i>Prunus brigantina</i> Vill., <i>Prunus cerasifera</i> Ehrh., <i>Prunus cistena</i> Hansen, <i>Prunus curdica</i> Fenzl and Fritsch., <i>Prunus domestica</i> ssp. <i>domestica</i> L., <i>Prunus</i>	<p>Without prejudice to the provisions applicable to the plants, listed in Annex III(A)(9) and requirements listed in Annex IV(A)(I)(15) and (19.2), official statement that:</p> <p>(b) no symptoms of disease caused by Plum pox virus have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.</p>
---	--



domestica ssp. insititia (L.) C.K. Schneid., *Prunus domestica* ssp. *italica* (Borkh.) Hegi., *Prunus glandulosa* Thunb., *Prunus holosericea* Batal., *Prunus hortulana* Bailey, *Prunus japonica* Thunb., *Prunus mandshurica* (Maxim.) Koehne, *Prunus maritima* Marsh., *Prunus mume* Sieb and Zucc., *Prunus nigra* Ait., *Prunus persica* (L.) Batsch, *Prunus salicina* L., *Prunus sibirica* L., *Prunus simonii* Carr., *Prunus spinosa* L., *Prunus tomentosa* Thunb., *Prunus triloba* Lindl., - other species of *Prunus* L. susceptible to Plux pox virus.

23.2b

23.2. Plants of *Prunus* L., intended for planting
(a) originating in countries where the relevant harmful organisms are known to occur on *Prunus* L.
(b) other than seeds, originating in countries where the relevant harmful organisms are known to occur
(c) other than seeds, originating in non-European countries where the relevant harmful organisms are known to occur.
The relevant harmful organisms are:
— for the case under (a): Tomato ringspot virus;
— or the case under (b): Cherry rasp leaf virus (American), Peach mosaic virus (American), Peach phony rickettsia, Peach rosette mycoplasma, Peach yellows mycoplasma, Plum line pattern virus (American), Peach X-disease mycoplasma;
— or the case under (c): Little cherry pathogen.

Without prejudice to the provisions applicable to the plants, where appropriate listed in Annex III(A)(9) and requirements listed in Annex IV(A)(I)(15), (19.2) and (23.1), official statement that
(b) no symptoms of diseases caused by the relevant harmful organisms have been observed on plants at the place of production or on susceptible plants in its immediate vicinity, since the beginning of the last three complete cycles of vegetation.

24.1

24.1. Plants of *Vitis* spp., other than fruits and seeds

Without prejudice to the provisions applicable to the plants listed in Annex III(A)(15) official statement that no symptoms of Grapevine Flavescence dorée MLO and *Xylophilus ampelinus* (Panagopoulos) Willems et al. have been observed at the place of production and in its immediate vicinity, since the beginning of the last two complete cycles of vegetation.

24a.bb

24. Plants of *Rubus* L., intended for planting:
(a) originating in countries where harmful organisms are known to occur on *Rubus* L.
The relevant harmful organisms are:
— in the case of (a): Tomato ringspot virus, Black raspberry latent virus, Cherry leafroll virus, *Prunus necrotic ringspot virus*.

Without prejudice to the requirements applicable to the plants, listed in Annex IV(A)(I)(19.2), official statement that:
(bb) no symptoms of diseases caused by the relevant harmful organisms have been observed on plants at the place of production, or on susceptible plants in its immediate vicinity, since the beginning of the last complete cycles of vegetation.

25.5

25.5. Plants of Solanaceae, intended for planting, other than seeds, originating in countries where Potato stolbur mycoplasma is known to occur

Without prejudice to the provisions applicable to tubers listed in Annex III(A)(10), (11), (12) and (13), and Annex IV(A)(I)(25.1), (25.2), (25.3) and (25.4), official statement that no symptoms of Potato stolbur mycoplasma have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.

25.6

25.6. Plants of Solanaceae, intended for planting, other than tubers of *Solanum tuberosum* L. and other than seeds of *Lycopersicon lycopersicum* (L.) Karsten ex Farw., originating in countries where Potato spindle tuber viroid is known to occur

Without prejudice to the provisions applicable to the plants listed in Annex III(A)(11), (13), and Annex IV(A)(I)(25.5), official statement that no symptoms of Potato spindle tuber viroid have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation

25.7b

25.7. Plants of *Capsicum annuum* L., *Lycopersicon lycopersicum* (L.) Karsten ex Farw., *Musa* L., *Nicotiana* L. and *Solanum melongena* L., intended for planting other than seeds, originating in countries where *Pseudomonas solanacearum* (Smith) Smith is known to occur

Without prejudice to the provisions applicable to the plants listed in Annex III(A)(11) and (13), and Annex IV(A)(I)(25.5) and (25.6), where appropriate, official statement that:
(b) no symptoms of *Pseudomonas solanacearum* (Smith) Smith have been observed on the plants at the place of production since the beginning of the last complete cycle of vegetation.



26

26. Plants of *Humulus lupulus* L. intended for planting, other than seeds

Official statement that no symptoms of *Verticillium albo-atrum* Reinke and Berthold and *Verticillium dahliae* Klebahn have been observed on plants at the place of production since the beginning of the last complete cycle of vegetation.

27.1a

27.1. Plants of *Dendranthema* (DC.) Des Moul., *Dianthus* L. and *Pelargonium l'Hérit. ex Ait.*, intended for planting, other than seeds

Official statement that:
(a) no signs of *Helicoverpa armigera* (Hübner), or *Spodoptera littoralis* (Boisd.) have been observed at the place of production since the beginning of the last complete cycle of vegetation

27.2a

27.2. Plants of *Dendranthema* (DC.) Des Moul., *Dianthus* L. and *Pelargonium l'Hérit. ex Ait.*, other than seeds

Without prejudice to the requirements applicable to the plants listed in Annex IV(A)(I)(27.1), official statement that:
(a) no signs of *Spodoptera eridiana* Cramer, *Spodoptera frugiperda* Smith, or *Spodoptera litura* (Fabricius) have been observed at the place of production since the beginning of the last complete cycle of vegetation

28

28. Plants of *Dendranthema* (DC.) Des Moul., intended for planting, other than seeds

Without prejudice to the requirements applicable to the plants listed in Annex IV(A)(I)(27.1) and (27.2), official statement that:
(a) the plants are no more than third generation stock derived from material which has been found to be free from *Chrysanthemum stunt viroid* during virological tests, or are directly derived from material of which a representative sample of at least 10 % has been found to be free from *Chrysanthemum stunt viroid* during an official inspection carried out at the time of flowering;
(b) the plants or cuttings:
— have come from premises which have been officially inspected at least monthly, during the three months prior to dispatch and on which no symptoms of *Puccinia horiana* Hennings have been known to have observed during that period, and in the immediate vicinity of which no symptoms of *Puccinia horiana* Hennings have been known to have occurred during the three months prior to export,
or
— have undergone appropriate treatment against *Puccinia horiana* Hennings;
(c) in the case of unrooted cuttings, no symptoms of *Didymella ligulicola* (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the plants from which the cuttings were derived, or that, in case of rooted cuttings, no symptoms of *Didymella ligulicola* (Baker, Dimock and Davis) v. Arx were observed either on the cuttings or on the rooting bed.

28.1

28.1. Plants of *Dendranthema* (DC.) Des Moul. and *Lycopersicon lycopersicum* (L.) Karsten ex Farw., intended for planting, other than seeds

Without prejudice to the requirements listed in Annex IV(A)(I) (25.5), (25.6), (25.7), (27.1), (27.2) and (28), official statement that:
(a) the plants have been grown throughout their life in a country free from *Chrysanthemum stem necrosis virus*; or
(b) the plants have been grown throughout their life in an area established by the national plant protection organisation in the country of export as being free from *Chrysanthemum stem necrosis virus* in accordance with the relevant International Standards for Phytosanitary Measures; or
(c) the plants have been grown throughout their life in a place of production, established as being free from *Chrysanthemum stem necrosis virus* and verified through official inspections and, where appropriate, testing.

29

29. Plants of *Dianthus* L., intended for planting, other than seeds

Without prejudice to the requirements applicable to the plants listed in Annex IV(A)(I)(27.1) and (27.2), official statement that:
— the plants have been derived in direct line from mother plants which have been found free from *Erwinia chrysanthemi* pv. *dianthicola* (Hellmers) Dickey, *Pseudomonas caryophylli* (Burkholder) Starr and Burkholder and *Phialophora cinerescens* (Wollenw.) Van Beyma on



	officially approved tests, carried out at least once within the two previous years, — no symptoms of the above harmful organisms have been observed on the plants.
30	
30. Bulbs of <i>Tulipa</i> L. and <i>Narcissus</i> L., other than those for which there shall be evidence by their packaging, or by other means, that they are intended for sale to final consumers not involved in professional cut flower production	Official statement that no symptoms of <i>Ditylenchus dipsaci</i> (Kühn) Filipjev have been observed on the plants since the beginning of the last complete cycle of vegetation.
31a.b	
31. Plants of <i>Pelargonium</i> L'Herit. ex Ait., intended for planting, other than seeds, originating in countries where Tomato ringspot virus is known to occur: (a) where <i>Xiphinema americanum</i> Cobb sensu lato (non-European populations) or other vectors of Tomato ringspot virus are not known to occur	Without prejudice to the requirements applicable to the plants listed in Annex IV(A) (I)(27.1) and (27.2), Official statement that the plants: (b) are of no more than fourth generation stock, derived from mother plants found to be free from Tomato ringspot virus under an official approved system of virological testing.
32.1b	
32.1. Plants of herbaceous species, intended for planting, other than: — bulbs, — corms, — plants of the family Gramineae, — rhizomes, — seeds, — tubers, originating in countries where <i>Liriomyza sativae</i> (Blanchard) and <i>Amauromyza maculosa</i> (Malloch) are known to occur	Without prejudice to the requirements applicable to the plants in Annex IV (A)(I) (27.1), (27.2), (28) and (29), where appropriate, official statement that the plants have been grown in nurseries and: (b) originate in a place of production, established in the country of export by the national plant protection service in that country, as being free from <i>Liriomyza sativae</i> (Blanchard) and <i>Amauromyza maculosa</i> (Malloch) in accordance with relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytocertificates under the rubric 'Additional declaration', and declared free from <i>Liriomyza sativae</i> (Blanchard) and <i>Amauromyza maculosa</i> (Malloch) on official inspections carried out at least monthly during the three months prior to export.
32.3b	
32.3. Plants of herbaceous species, intended for planting, other than: — bulbs, — corms, — plants of the family Gramineae, — rhizomes, — seeds, — tubers	Without prejudice to the requirements applicable to the plants in Annex IV(A), (I) (27.1), (27.2), (28), (29) and (32.1), official statement that: (b) either no signs of <i>Liriomyza huidobrensis</i> (Blanchard) and <i>Liriomyza trifolii</i> (Burgess) have been observed at the place of production, on official inspections carried out at least monthly during the three months prior to harvesting.
33	
33. Plants with roots, planted or intended for planting, grown in the open air.	Official statement that the place of production is known to be free from <i>Clavibacter michiganensis</i> ssp. <i>sependonicus</i> (Speckermann and Kotthoff) Davis <i>et al.</i> , <i>Globodera pallida</i> (Stone) Behrens, <i>Globodera rostochiensis</i> (Wollenweber) Behrens and <i>Synchytrium endobioticum</i> (Schilbersky) Percival.
36.1a	
36.1. Plants, intended for planting, other than bulbs, corms, rhizomes, seeds, tubers.	Without prejudice to the requirements applicable to the plants in Annex IV(A), (I) (27.1), (27.2), (28), (29), (31), (32.1) and (32.3), official statement that the plants have been grown in nurseries and: (a) originate in an area, established in the country of export by the national plant protection service in that country, as being free from <i>Thrips palmi</i> Karny in accordance with relevant International Standards for Phytosanitary Measures, and which is mentioned on the phytocertificate under the rubric 'Additional declaration'.
45.3b.a.bb	
45.3. Plants of <i>Lycopersicon lycopersicum</i> (L.) Karsten ex Farw. intended for planting, other than seeds, originating in countries where Tomato yellow leaf curl virus is known to occur. (b) Where <i>Bemisia tabaci</i> Genn. is known to occur	Without prejudice to the requirements applicable to plants listed in Annex III(A)(13) and Annex IV(A)(I)(25.5), (25.6) and 25.7 where appropriate Official statement that no symptoms of Tomato yellow leaf curl virus have been observed on the plants Official statement that: (a) no symptoms of Tomato yellow leaf curl virus have been observed



	on the plants, and (bb) the place of production has been found free from <i>Bemisia tabaci</i> Genn. on official inspections carried out at least monthly during the three months prior to export.
--	---

37.1.c

37.1. Plants of <i>Palmae</i> , intended for planting, having a diameter of the stem at the base of over 5 cm and belonging to the following genera: <i>Brahea</i> Mart., <i>Butia</i> Becc., <i>Chamaerops</i> L., <i>Jubaea</i> Kunth, <i>Livistona</i> R. Br., <i>Phoenix</i> L., <i>Sabal</i> Adans., <i>Syagrus</i> Mart., <i>Trachycarpus</i> H. Wendl., <i>Trithrinax</i> Mart., <i>Washingtonia</i> Raf.	Without prejudice to the prohibition applicable to the plants listed in Annex III(A)(17) and the requirements listed in Annex IV(A)(I)(37) Official statement that the plants: (c) have, during a period of at least two years prior to export, been grown in a place of production: — which is registered and supervised by the national plant protection organization in the country of origin, and — where the plants were placed in a site with complete physical protection against the introduction of <i>Paysandisia archon</i> (Burmeister) or with application of appropriate preventive treatments, and — where, during three official inspections per year carried out at appropriate times, including immediately prior to export, no signs of <i>Paysandisia archon</i> (Burmeister) have been observed.
---	--

46b.b

46. Plants intended for planting, other than seeds, bulbs, tubers, corms and rhizomes, originating in countries where the relevant harmful organisms are known to occur. The relevant harmful organisms are: Bean golden mosaic virus, Cowpea mild mottle virus, Lettuce infectious yellow virus, Pepper mild tigré virus, Squash leaf curl virus, other viruses transmitted by <i>Bemisia tabaci</i> Genn. (b) Where <i>Bemisia tabaci</i> Genn. (non-European populations) or other vectors of the relevant harmful organisms are known to occur	Without prejudice to the requirements applicable to the plants listed in Annex III(A)(13) and Annex IV(A)(I)(25.5) (25.6), (32.1), (32.2), (32.3), (35.1), (35.2), (44), (45.1), (45.2) and (45.3) where appropriate Official statement that no symptoms of the relevant harmful organisms have been observed on the plants during an adequate period, and (b) the place of production has been found free from <i>Bemisia tabaci</i> Genn. and other vectors of the relevant harmful organisms on official inspections carried out at appropriate times.
--	---

(se ci sono) *Pinus* spp. and *Pseudotsuga menziesii*

*Ordinance on measures for the detection, prevention of and fight against harmful organism mushrooms *Gibberella circinata* Nirenberg & O' Donnell - Official Gazette of the Republic of Serbia N° 108/13*

(1) The plants originate in a place of production which is registered and inspected by the competent Authority for the protection of plants and during the entire life cycle grown in an area for which the competent Authority for plant protection determined that *Gibberella circinata* is not present in accordance with relevant International Standards for Phytosanitary Measures.